

T. Yoon et al.
09/788,315
Page 2 of 33


Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

1-2. (Cancelled).

3. (Presently Amended) A compound of the formula:



or a pharmaceutically acceptable salt thereof, wherein:

R₁ is selected from H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, halogen, C₁₋₄ haloalkyl, trifluoromethyl, trifluoromethoxy, -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), -O(C₁₋₄ alkyl), and S(O)_n(C₁₋₄ alkyl);

R₂ is selected from the group consisting of -XR_A and Y, wherein -X, R_A, and Y are defined below and with the proviso that R₂ is not -NH₂; and

R₃ is selected from the group consisting of hydrogen, halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), and -S(O)_n(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, trifluoromethoxy, -XR_A and Y;

R₄ is absent or an oxygen atom;

Ar is phenyl, mono-, di-, or tri-substituted with R_C, or

Ar is selected from the group consisting of:

naphthyl, ~~pyridyl, pyridonyl, pyrimidinyl, and thiophenyl~~, each of which is unsubstituted or mono-, di-, or tri-substituted with R_C;

T. Yoon et al.
09/788,315
Page 3 of 33

with the proviso that if Ar is phenyl substituted with halogen, naphthyl, or naphthyl substituted with halogen, then the compounds where R_3 is hydrogen are excluded;

R_A and R_B , which may be the same or different, are independently selected at each occurrence from the group consisting of: hydrogen and straight, branched, or cyclic alkyl groups consisting of 1 to 8 carbon atoms, which may contain one or more double or triple bonds, each of which may be further substituted with one or more substituent(s) selected from oxo, hydroxy, halogen, $-O(C_{1-4} \text{ alkyl})$, $-NH(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, $-NHC(O)(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})C(=O)(C_{1-4} \text{ alkyl})$, $-NHS(O)_n(C_{1-4} \text{ alkyl})$, $-S(O)_n(C_{1-4} \text{ alkyl})$, $-S(O)_nNH(C_{1-4} \text{ alkyl})$, $-S(O)_nN(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, and Z;

R_C is independently selected at each occurrence from the group consisting of halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C_{1-6} alkyl optionally substituted with 0-2 R_D , C_{2-6} alkenyl substituted with 0-2 R_D , C_{1-4} alkynyl substituted with 0-2 R_D , C_{3-7} cycloalkyl substituted with 0-2 R_D , $(C_{3-7} \text{ cycloalkyl})C_{1-4} \text{ alkyl}$ substituted with 0-2 R_D , $-O(C_{1-4} \text{ alkyl})$ substituted with 0-2 R_D , $-NH(C_{1-4} \text{ alkyl})$ substituted with 0-2 R_D , $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$ each independently substituted with 0-2 R_D , $-XR_A$, and Y;

R_D is independently selected at each occurrence the group consisting of halogen, hydroxy, cyano, C_{1-4} alkyl, $-O(C_{1-4} \text{ alkyl})$, $-NH(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, morpholino, pyrrolidino, piperidino, thiomorpholino, piperazino, 4-hydroxypiperidino, $-S(O)_n(C_{1-4} \text{ alkyl})$, trifluoromethyl, trifluoromethoxy, $CO(C_{1-4} \text{ alkyl})$, $CONH(C_{1-4} \text{ alkyl})$, $CON(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, $-XR_A$, and Y;

X is independently selected at each occurrence from the group consisting of $-CH_2-$, $-CHR_B-$, $-O-$, $-C(=O)-$, $-C(=O)O-$, $-S(O)_n-$, $-NH-$, $-NR_B-$, $-C(=O)NH-$, $-C(=O)NR_B-$, $-S(O)_nNH-$, $-S(O)_nNR_B-$, $-OC(=S)S-$, $-NHC(=O)-$, $-NR_BC(=O)-$, $-NHS(O)_n-$, $-OSiH_n(C_{1-4} \text{ alkyl})_{2-n}-$, and $-NR_BS(O)_n-$; and

Y and Z are independently selected at each occurrence from the group consisting of: 3- to 7-membered carbocyclic and heterocyclic groups, which are saturated, unsaturated, or aromatic, which may be substituted with one or more substituents selected from halogen, haloalkyl, oxo, hydroxy, amino, C_{1-4} alkyl, $-O(C_{1-4} \text{ alkyl})$, $-NH(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, and $-S(O)_n(C_{1-4} \text{ alkyl})$, and

T. Yoon et al.
09/788,315
Page 4 of 33

said 3- to 7-membered heterocyclic groups contain one or more heteroatom(s) selected from N, O, and S, with the point of attachment being either carbon or nitrogen; and n is independently selected at each occurrence from 0, 1, and 2.

4. (Previously Presented) A compound of according to Claim 3 wherein Ar is substituted phenyl.

5. (Original) A compound according to Claim 3, R₄ is absent and Ar is phenyl, mono-, di-, or tri-substituted with R_C.


6. (Original) A compound according to Claim 3 wherein R₄ is absent and Ar is phenyl, mono-, di-, or tri-substituted with R_C, and R₁ and R₃ are independently selected from the group consisting of hydrogen, halogen, methyl, ethyl, ethoxy and methoxy.

7. (Original) A compound according to Claim 3 wherein R₄ is absent and Ar is phenyl, mono-, di-, or tri-substituted with R_C; and R_A and R_B, which may be the same or different, are independently straight, branched, or cyclic alkyl groups having from 1 to 8 carbon atoms, which may contain one or more double or triple bonds.

8. (Original) A compound according to Claim 3 wherein R₄ is absent and Ar is phenyl mono-, di-, or tri-substituted with R_C; R_A and R_B, which may be the same or different, are independently selected at each occurrence from the group consisting of: straight, branched, and cyclic alkyl groups having from 1 to 8 carbon atoms, which may contain one or more double or triple bonds; and R₁ and R₃ are independently selected from the group consisting of hydrogen, halogen, methyl, ethyl, ethoxy, and methoxy.

T. Yoon et al.
09/788,315
Page 5 of 33

9. (Presently Amended) A compound of the Formula:



Formula A

wherein:

R₁ is selected from H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, halogen, C₁₋₄ haloalkyl, trifluoromethyl, trifluoromethoxy, -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), -O(C₁₋₄ alkyl), and S(O)_n(C₁₋₄ alkyl);

R₃ is selected from the group consisting of hydrogen, halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), and -S(O)_n(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, trifluoromethoxy, -XR_A and Y;

R_X and R_Y are the same or different and are independently selected from: hydrogen and straight, branched, or cyclic alkyl groups consisting of 1 to 8 carbon atoms, each of which alkyl groups may contain one or more double or triple bonds, and may be further substituted with one or more substituent(s) selected from oxo, hydroxy, halogen, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), -NHC(O)(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)C(=O)(C₁₋₄ alkyl), -NHS(O)_n(C₁₋₄ alkyl), -S(O)_n(C₁₋₄ alkyl), -S(O)_nNH(C₁₋₄ alkyl), -S(O)_nN(C₁₋₄ alkyl)(C₁₋₄ alkyl), Z, and phenyl, optionally mono-, di- or tri-substituted with substituents independently chosen from C1-4 alkoxy, C1-4 alkyl, halogen, CF₃, OCF₃, OCHF₂, OH, and CN, with the proviso that at least one of R_X or R_Y is not hydrogen; and

Ar is phenyl, mono-, di-, or tri-substituted with R_C, or

Ar is selected from the group consisting of:

naphthyl, ~~pyridyl, pyridonyl, pyrimidinyl, and thiophenyl~~, each of which is unsubstituted or mono-, di-, or tri-substituted with R_C;

with the proviso that if Ar is phenyl, phenyl substituted with halogen, naphthyl, or naphthyl substituted with halogen, then the compounds where R₃ is hydrogen are excluded;

T. Yoon et al.
09/788,315
Page 6 of 33

R_A and R_B , which may be the same or different, are independently selected at each occurrence from the group consisting of: hydrogen and straight, branched, or cyclic alkyl groups consisting of 1 to 8 carbon atoms, which may contain one or more double or triple bonds, each of which may be further substituted with one or more substituent(s) selected from oxo, hydroxy, halogen, $-O(C_{1-4} \text{ alkyl})$, $-NH(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, $-NHC(O)(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})C(=O)(C_{1-4} \text{ alkyl})$, $-NHS(O)_n(C_{1-4} \text{ alkyl})$, $-S(O)_n(C_{1-4} \text{ alkyl})$, $-S(O)_nNH(C_{1-4} \text{ alkyl})$, $-S(O)_nN(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, and Z;

R_C is independently selected at each occurrence from the group consisting of halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C_{1-6} alkyl optionally substituted with 0-2 R_D , C_{2-6} alkenyl substituted with 0-2 R_D , C_{1-4} alkynyl substituted with 0-2 R_D , C_{3-7} cycloalkyl substituted with 0-2 R_D , $(C_{3-7} \text{ cycloalkyl})C_{1-4} \text{ alkyl}$ substituted with 0-2 R_D , $-O(C_{1-4} \text{ alkyl})$ substituted with 0-2 R_D , $-NH(C_{1-4} \text{ alkyl})$ substituted with 0-2 R_D , $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$ each independently substituted with 0-2 R_D , $-XR_A$, and Y;

R_D is independently selected at each occurrence the group consisting of halogen, hydroxy, cyano, $C_{1-4} \text{ alkyl}$, $-O(C_{1-4} \text{ alkyl})$, $-NH(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, morpholino, pyrrolidino, piperidino, thiomorpholino, piperazino, 4-hydroxypiperidino, $-S(O)_n(C_{1-4} \text{ alkyl})$, trifluoromethyl, trifluoromethoxy, $CO(C_{1-4} \text{ alkyl})$, $CONH(C_{1-4} \text{ alkyl})$, $CON(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, $-XR_A$, and Y;

X is independently selected at each occurrence from the group consisting of $-CH_2-$, $-CHR_B-$, $-O-$, $-C(=O)-$, $-C(=O)O-$, $-S(O)_n-$, $-NH-$, $-NR_B-$, $-C(=O)NH-$, $-C(=O)NR_B-$, $-S(O)_nNH-$, $-S(O)_nNR_B-$, $-OC(=S)S-$, $-NHC(=O)-$, $-NR_BC(=O)-$, $-NHS(O)_n-$, $-OSiH_n(C_{1-4} \text{ alkyl})_{2-n}-$, and $-NR_BS(O)_n-$;

Y and Z is independently selected at each occurrence from the group consisting of: 3- to 7-membered carbocyclic and heterocyclic groups, which are saturated, unsaturated, or aromatic, which may be substituted with one or more substituents selected from halogen, haloalkyl, oxo, hydroxy, amino, C_{1-4} alkyl, $-O(C_{1-4} \text{ alkyl})$, $-NH(C_{1-4} \text{ alkyl})$, $-N(C_{1-4} \text{ alkyl})(C_{1-4} \text{ alkyl})$, and $-S(O)_n(C_{1-4} \text{ alkyl})$, and said 3- to 7-membered heterocyclic groups contain one or more heteroatom(s) selected from N, O, and S, with the point of attachment being either carbon or nitrogen; and

T. Yoon et al.
09/788,315
Page 7 of 33

n is independently selected at each occurrence from 0, 1, and 2.

10. (Original) A compound according to Claim 9, wherein Ar is phenyl, mono-, di-, or tri-substituted with R_C; and R₁ and R₃ are independently selected from the group consisting of hydrogen, halogen, methyl, ethyl, ethoxy and methoxy.

11. (Original) A compound according to Claim 9, wherein:
R₁ and R₃ are independently chosen from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy; and
Ar is phenyl, which is mono-, di-, or trisubstituted with one or more substituent(s) independently selected from:
halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.

12. (Original) A compound according to Claim 9, wherein:
R_X is hydrogen;
R_Y is chosen from the group consisting of:
straight, branched, or cyclic alkyl groups having from 1 to 8 carbon atoms, which may contain one or more double or triple bonds;
R₁ and R₃ are independently chosen from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy; and
Ar is phenyl, which is mono-, di-, or trisubstituted with substituent(s) independently selected from:
halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.

13. (Original) A compound according to Claim 9, wherein:
R_X is hydrogen;


T. Yoon et al.
09/788,315
Page 8 of 33

R_Y is chosen from the group consisting of:

straight, branched, or cyclic alkyl groups having from 1 to 8 carbon atoms, which may contain one or more double or triple bonds;

R₁ and R₃ are independently chosen from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy; and

Ar is a phenyl group of the formula:



wherein L indicates a bond to the pyrazine ring in Formula A;

and the phenyl group is substituted at one, two or three of positions 2, 4, and 6 with substituent(s) independently selected from:

halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.

14. (Original) A compound according to Claim 9, wherein:


R_X is hydrogen;

R_Y is chosen from the group consisting of:

straight, branched, or cyclic alkyl groups having from 1 to 8 carbon atoms, which may contain one or more double or triple bonds;

R₁ and R₃ are independently chosen from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy; and

Ar is a phenyl group of the formula:




wherein L indicates a bond to the pyrazine ring in Formula A;

and the phenyl group is substituted at positions 2 and 4 with substituents independently selected from:

T. Yoon et al.
09/788,315
Page 9 of 33

halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.


15. (Original) A compound according to Claim 9 of the formula:



wherein:

R₁ and R₃ are independently chosen at each occurrence from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy; and

Ar is a phenyl group of the formula:




wherein L indicates a bond to the pyrazine ring in Formula A;

and the phenyl group is substituted at one, two or three of positions 2, 4, and 6 with substituent(s) independently selected from:

halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.

16. (Withdrawn) A compound according to Claim 9 of the formula:

T. Yoon et al.
09/788,315
Page 10 of 33



wherein

R is independently selected at each occurrence from the group consisting of: hydrogen, halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, C₁₋₆alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino; and


R₁ and R₃ are independently chosen from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy.

17. (Withdrawn) A compound according to Claim 9 wherein Ar is phenyl, which is mono-, di-, or tri-substituted with R_C;

R_X and R_Y, which may be the same or different, are independently selected at each occurrence from the group consisting of: straight, branched, and cyclic alkyl groups having from 1 to 8 carbon atoms, which may contain one or more double or triple bonds; and

R₁ and R₃ are independently selected from the group consisting of hydrogen, halogen, methyl, ethyl, ethoxy, and methoxy.


18. (Withdrawn) A compound according to Claim 3 of the formula:



wherein R_X and R_Y are independently hydrogen or C₁₋₈ alkyl; or


T. Yoon et al.
09/788,315
Page 11 of 33

NR_XR_Y is:



wherein z is 0 or 1.

19. (Presently Amended) A compound of the Formula:



Formula B

wherein:

R_X is chosen from the group consisting of:

straight, branched, or cyclic alkyl groups, including (cycloalkyl)alkyl groups, having from 1 to 8 carbon atoms, which groups may contain one or more double or triple bonds, each of which groups may be further substituted with one or more substituent(s) independently selected from oxo, hydroxy, halogen, $-\text{O}(\text{C}_{1-4} \text{ alkyl})$, $-\text{NH}(\text{C}_{1-4} \text{ alkyl})$, $-\text{N}(\text{C}_{1-4} \text{ alkyl})(\text{C}_{1-4} \text{ alkyl})$, $-\text{NHC}(\text{O})(\text{C}_{1-4} \text{ alkyl})$, $-\text{N}(\text{C}_{1-4} \text{ alkyl})\text{C}(=\text{O})(\text{C}_{1-4} \text{ alkyl})$, $-\text{NHS}(\text{O})_n(\text{C}_{1-4} \text{ alkyl})$, $-\text{S}(\text{O})_n(\text{C}_{1-4} \text{ alkyl})$, $-\text{S}(\text{O})_n\text{NH}(\text{C}_{1-4} \text{ alkyl})$, $-\text{S}(\text{O})_n\text{N}(\text{C}_{1-4} \text{ alkyl})(\text{C}_{1-4} \text{ alkyl})$, Z, and phenyl, optionally mono-, di- or tri-substituted with substituents independently chosen from C1-4 alkoxy, C1-4 alkyl, halogen, CF_3 , OCF_3 , OCHF_2 , OH, and CN; and

R_1 is selected from H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, halogen, CN, C₁₋₄ haloalkyl, trifluoromethyl, trifluoromethoxy, $-\text{NH}(\text{C}_{1-4} \text{ alkyl})$, $-\text{N}(\text{C}_{1-4} \text{ alkyl})(\text{C}_{1-4} \text{ alkyl})$, $-\text{O}(\text{C}_{1-4} \text{ alkyl})$, and $\text{S}(\text{O})_n(\text{C}_{1-4} \text{ alkyl})$;

T. Yoon et al.
09/788,315
Page 12 of 33

R_3 is selected from the group consisting of hydrogen, halogen, C_{1-4} alkyl, $-O(C_{1-4}$ alkyl), $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)(C_{1-4} alkyl), and $-S(O)_n(C_{1-4}$ alkyl), haloalkyl, trifluoromethyl, trifluoromethoxy, $-XR_A$ and Y ;

Ar is phenyl, mono-, di-, or tri-substituted with R_C , or

Ar is selected from the group consisting of:

naphthyl, ~~pyridyl, pyridenyl, pyrimidinyl, and thiophenyl~~, each of which is unsubstituted or mono-, di-, or tri-substituted with R_C ;

with the proviso that if Ar is phenyl, phenyl substituted with halogen, naphthyl, or naphthyl substituted with halogen, then the compounds where R_3 is hydrogen are excluded;

R_A and R_B , which may be the same or different, are independently selected at each occurrence from the group consisting of: hydrogen and straight, branched, or cyclic alkyl groups consisting of 1 to 8 carbon atoms, which may contain one or more double or triple bonds, each of which may be further substituted with one or more substituent(s) selected from oxo, hydroxy, halogen, $-O(C_{1-4}$ alkyl), $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)(C_{1-4} alkyl), $-NHC(O)(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)C(=O)(C_{1-4} alkyl), $-NHS(O)_n(C_{1-4}$ alkyl), $-S(O)_n(C_{1-4}$ alkyl), $-S(O)_nNH(C_{1-4}$ alkyl), $-S(O)_nN(C_{1-4}$ alkyl)(C_{1-4} alkyl), and Z ;

R_C is independently selected at each occurrence from the group consisting of halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C_{1-6} alkyl optionally substituted with 0-2 R_D , C_{2-6} alkenyl substituted with 0-2 R_D , C_{1-4} alkynyl substituted with 0-2 R_D , C_{3-7} cycloalkyl substituted with 0-2 R_D , $(C_{3-7}$ cycloalkyl) C_{1-4} alkyl substituted with 0-2 R_D , $-O(C_{1-4}$ alkyl) substituted with 0-2 R_D , $-NH(C_{1-4}$ alkyl) substituted with 0-2 R_D , $-N(C_{1-4}$ alkyl)(C_{1-4} alkyl) each independently substituted with 0-2 R_D , $-XR_A$, and Y ;

R_D is independently selected at each occurrence the group consisting of halogen, hydroxy, cyano, C_{1-4} alkyl, $-O(C_{1-4}$ alkyl), $-NH(C_{1-4}$ alkyl), $-N(C_{1-4}$ alkyl)(C_{1-4} alkyl), morpholino, pyrrolidino, piperidino, thiomorpholino, piperazino, 4-hydroxypiperidino, $-S(O)_n(C_{1-4}$ alkyl), trifluoromethyl, trifluoromethoxy, $CO(C_{1-4}$ alkyl), $CONH(C_{1-4}$ alkyl), $CON(C_{1-4}$ alkyl)(C_{1-4} alkyl), $-XR_A$, and Y ;

X is independently selected at each occurrence from the group consisting of $-CH_2-$, $-CHR_B-$, $-O-$, $-C(=O)-$, $-C(=O)O-$, $-S(O)_n-$, $-NH-$, $-NR_B-$, $-C(=O)NH-$, $-C(=O)NR_B-$, $-S(O)_nNH-$, -

T. Yoon et al.
09/788,315
Page 13 of 33

$S(O)_nNR_B-$, $-OC(=S)S-$, $-NHC(=O)-$, $-NR_BC(=O)-$, $-NHS(O)_n-$, $-OSiH_n(C_{1-4}alkyl)_{2-n}-$, and $-NR_BS(O)_n-$;

Y and Z is independently selected at each occurrence from the group consisting of: 3- to 7-membered carbocyclic and heterocyclic groups, which are saturated, unsaturated, or aromatic, which may be substituted with one or more substituents selected from halogen, haloalkyl, oxo, hydroxy, amino, C_{1-4} alkyl, $-O(C_{1-4} alkyl)$, $-NH(C_{1-4} alkyl)$, $-N(C_{1-4} alkyl)(C_{1-4} alkyl)$, and $-S(O)_n(C_{1-4} alkyl)$, and said 3- to 7-membered heterocyclic groups contain one or more heteroatom(s) selected from N, O, and S, with the point of attachment being either carbon or nitrogen; and n is independently selected at each occurrence from 0, 1, and 2.

20. (Withdrawn) A compound according to Claim 19, wherein:

R_x is selected from straight, branched, or cyclic alkyl groups containing of 1 to 8 carbon atoms, which may contain one or more double or triple bonds; and;


R_1 and R_3 are independently chosen from halogen, C_{1-4} alkyl, $-O(C_{1-4} alkyl)$, $-NH(C_{1-4} alkyl)$, $-N(C_{1-4} alkyl)(C_{1-4} alkyl)$, haloalkyl, trifluoromethyl, and trifluoromethoxy; and

Ar is phenyl, which is mono-, di-, or trisubstituted with one or more substituent(s) independently selected from:

halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C_{1-6} alkyl, C_{1-4} alkoxy, C_{1-4} alkoxy(C_{1-4} alkoxy), mono- or di(C_{1-4})amino(C_{1-4} alkoxy), and mono- or di(C_{1-4} alkyl)amino.

21. (Withdrawn) A compound according to Claim 20, wherein:

Ar is a phenyl group of the formula:




wherein L indicates a bond to the pyrazine ring in Formula B;

T. Yoon et al.
09/788,315
Page 14 of 33

and the phenyl group is substituted at one, two, or three of positions 2, 4, and 6 with substituent(s) independently selected from:
halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, and C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.

22. (Withdrawn) A compound according to Claim 20, wherein:


Ar is a phenyl group of the formula:



wherein L indicates a bond to the pyrazine ring in Formula B;

and the phenyl group is substituted at positions 2 and 4 with substituents independently selected from halogen, cyano, haloalkyl, trifluoromethyl, trifluoromethoxy, hydroxy, amino, C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono- or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.


23. (Withdrawn) A compound according to Claim 19, of the formula:



wherein:

R₁ and R₃ are independently chosen from halogen, C₁₋₄ alkyl, -O(C₁₋₄ alkyl), -NH(C₁₋₄ alkyl), -N(C₁₋₄ alkyl)(C₁₋₄ alkyl), haloalkyl, trifluoromethyl, and trifluoromethoxy; and

Ar is a phenyl group of the formula:




T. Yoon et al.
09/788,315
Page 15 of 33

wherein L indicates a bond to the pyrazine ring in Formula B;
and the phenyl group is substituted at one, two, or three of positions 2, 4, and 6 with
substituent(s) independently selected from: halogen, cyano, haloalkyl, trifluoromethyl,
trifluoromethoxy, hydroxy, amino, C₁₋₆ alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy(C₁₋₄alkoxy), mono-
or di(C₁₋₄)amino(C₁₋₄alkoxy), and mono- or di(C₁₋₄ alkyl)amino.

24. (Withdrawn) A compound according to Claim 19 wherein R₁ and R₃ are
independently selected from the group consisting of hydrogen, halogen, methyl, ethyl, ethoxy
and methoxy.

25. (Withdrawn) A compound according to Claim 3 of the formula:



wherein A is NR_A or O.

26. (Withdrawn) A compound according to claim 1, wherein in a standard in vitro
CRF receptor binding assay the compound exhibits an IC₅₀ value of less than or equal to 1
micromolar.

27-29. (Cancelled).

30. (Previously Presented) A compound according to Claim 3, wherein in a
standard in vitro sodium channel functional assay the compound does not show any statistically
significant activity at the $p < 0.05$ level of significance.

31-41. (Cancelled).

T. Yoon et al.
09/788,315
Page 16 of 33

42. (Previously Presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound of a compound according to Claim 3.

43. (Withdrawn) A packaged pharmaceutical composition comprising a pharmaceutical composition of claim 42 in a container and instructions for using the composition to treat a patient suffering from an anxiety disorder, a stress-related disorder, or an eating disorder.

44. (Withdrawn) A compound according to Claim 3, named 5-(2,4-dimethoxyphenyl)-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

45. (Withdrawn) A compound according to Claim 3, named 5-[4-bromo-2-(trifluoromethoxy)phenyl]-3,6-diethyl-N-(1-ethylpropyl)pyrazin-2-amine.

46. (Withdrawn) A compound according to Claim 3, named 3-ethyl-N-(1-ethylpropyl)-6-methoxy-5-[2-methoxy-4-(trifluoromethoxy)phenyl] pyrazin-2-amine.

47. (Withdrawn) A compound according to Claim 3, named 5-(4-chloro-2-methylphenyl)-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

48. (Withdrawn) A compound according to Claim 3, named 5-[2-chloro-4-(trifluoromethyl)phenyl]-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

49. (Withdrawn) A compound according to Claim 3, named 2-[2,4-bis(trifluoromethyl)phenyl]-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

50. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-naphthyl)pyrazin-2-amine.

51. (Withdrawn) A compound according to Claim 3, named 5-[4-chloro-2-

T. Yoon et al.
09/788,315
Page 17 of 33

(trifluoromethyl)phenyl]-3,6-diethyl-N-(1-ethylpropyl)pyrazin-2-amine.

52. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-[2-methoxy-6-(trifluoromethoxy)phenyl]pyrazin-2-amine.

53. (Withdrawn) A compound according to Claim 3, named 5-(2-chloro-4-methoxyphenyl)-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

54. (Withdrawn) A compound according to Claim 3, named 5-(2,6-dichloro-4-methoxyphenyl)-3,6-diethyl-N-(1-ethylpropyl)pyrazin-2-amine.

55. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(3-methyl-1,1'-biphenyl-4-yl)pyrazin-2-amine.

56. (Withdrawn) A compound according to Claim 3, named 5-[2,4-bis(trifluoromethyl)phenyl]-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

57. (Withdrawn) A compound according to Claim 3, named 2-(2,4-dichlorophenyl)-3,6-diethyl-5-(1-methylbutoxy)pyrazine.

58. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(1-isopropyl-2-methylpropoxy)-6-[4-methoxy-2-(trifluoromethoxy)phenyl]pyrazine.

59. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(1-isopropyl-2-methylpropoxy)-6-[2-methyl-4-(trifluoromethoxy)phenyl]pyrazine.

60. (Withdrawn) A compound according to Claim 3, named 5-[4-chloro-2-(trifluoromethyl)phenyl]-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

61. (Withdrawn) A compound according to Claim 3, named N-(1-ethylpropyl)-3-

T. Yoon et al.
09/788,315
Page 18 of 33

methoxy-5-[2-methoxy-4-(trifluoromethoxy)phenyl]-6-methylpyrazin-2-amine.

62. (Withdrawn) A compound according to Claim 3, named 5-[4-chloro-2-(trifluoromethyl)phenyl]-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

63. (Withdrawn) A compound according to Claim 3, named 3-ethyl-N-(1-ethylpropyl)-6-methoxy-5-[2-methyl-4-(trifluoromethoxy)phenyl]pyrazin-2-amine.

64. (Withdrawn) A compound according to Claim 3, named 5-(2,4-dimethylphenyl)-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

65. (Withdrawn) A compound according to Claim 3, named 5-(2-chloro-4-ethoxyphenyl)-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

66. (Withdrawn) A compound according to Claim 3, named O-(3-chloro-4-{5-[(1-ethylpropyl)amino]-6-methoxy-3-methylpyrazin-2-yl}phenyl) S-propyl (dithiocarbonate).

67. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(1-ethylpropoxy)-6-[2-methoxy-4,6-bis(trifluoromethyl)phenyl]pyrazine.

68. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(4-fluoro-2-methoxyphenyl)pyrazin-2-amine.

69. (Withdrawn) A compound according to Claim 3, named 5-(2-chloro-4-methylphenyl)-3,6-diethyl-N-(1-ethylpropyl)pyrazin-2-amine.

70. (Withdrawn) A compound according to Claim 3, named 5-(4-chloro-2-methoxyphenyl)-3,6-diethyl-N-(1-ethylpropyl)pyrazin-2-amine.

71. (Withdrawn) A compound according to Claim 3, named O-(3-chloro-4-(3,6-

T. Yoon et al.
09/788,315
Page 19 of 33

diethyl-5-[(1-ethylpropyl)amino]pyrazin-2-yl)phenyl) S-propyl (dithiocarbonate).

72. (Withdrawn) A compound according to Claim 3, named 5-(4-chloro-2,6-dimethoxyphenyl)-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

73. (Withdrawn) A compound according to Claim 3, named 2-(2,4-dimethoxyphenyl)-3,6-diethyl-5-(1-ethylbutoxy)pyrazine.

74. (Withdrawn) A compound according to Claim 3, named 5-[4-(1,3-dioxolan-2-yl)-2,6-dimethoxyphenyl]-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

75. (Withdrawn) A compound according to Claim 3, named 5-(4-ethoxy-2-methoxyphenyl)-3-ethyl-N-(1-ethylpropyl)-6-methoxypyrazin-2-amine.

76. (Withdrawn) A compound according to Claim 3, named 6-ethyl-N-(1-ethylpropyl)-3-methoxy-5-(2-methoxy-6-methylphenyl)pyrazin-2-amine.

77. (Withdrawn) A compound according to Claim 3, named 2-(2-chloro-4-methoxyphenyl)-3,6-diethyl-5-(1-isopropyl-2-methylpropoxy)pyrazine.

78. (Withdrawn) A compound according to Claim 3, named 2-(4-{5-[(1-ethylpropyl)amino]-6-methoxy-3-methylpyrazin-2-yl}-3,5-dimethoxyphenyl)propan-2-ol.

79. (Withdrawn) A compound according to Claim 3, named 5-(4-chloro-2-ethoxyphenyl)-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

80. (Withdrawn) A compound according to Claim 3, named 3-ethyl-5-(2-ethyl-4-methoxyphenyl)-N-(1-ethylpropyl)-6-methoxypyrazin-2-amine.

81. (Withdrawn) A compound according to Claim 3, named 5-(4-chloro-2-

T. Yoon et al.
09/788,315
Page 20 of 33

ethoxyphenyl)-3-ethyl-N-(1-ethylpropyl)-6-methoxypyrazin-2-amine.

82. (Withdrawn) A compound according to Claim 3, named 5-(2-chloro-4-isopropoxyphenyl)-3-ethyl-N-(1-ethylpropyl)-6-methoxypyrazin-2-amine.

83. (Withdrawn) A compound according to Claim 3, named 5-[2-chloro-4-(1-ethylpropoxy)phenyl]-6-ethyl-N-(1-ethylpropyl)-3-methoxypyrazin-2-amine.

84. (Withdrawn) A compound according to Claim 3, named 5-[2-chloro-4-(1-ethylpropoxy)phenyl]-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

85. (Withdrawn) A compound according to Claim 3, named 5-(2,4-dichlorophenyl)-N-(1-ethylpropyl)-6-methoxy-3-methylpyrazin-2-amine.

86. (Withdrawn) A compound according to Claim 3, named 5-[2'-chloro-4',5'-bis(trifluoromethyl)-1,1'-biphenyl-2-yl]-N-(1-ethylpropyl)-6-methoxy-3-methylpyrazin-2-amine.

87. (Withdrawn) A compound according to Claim 3, named N-(1-ethylpropyl)-5-(4-fluoro-2-methoxyphenyl)-6-methoxy-3-methylpyrazin-2-amine.

88. (Withdrawn) A compound according to Claim 3, named 5-(2,4-dimethylphenyl)-N-(1-ethylpropyl)-6-methoxy-3-methylpyrazin-2-amine.

89. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(2-ethyl-4-methoxyphenyl)-6-(1-isopropyl-2-methylpropoxy)pyrazine.

90. (Withdrawn) A compound according to Claim 3, named 5-(4-ethoxy-2-isopropoxyphenyl)-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

91. (Withdrawn) A compound according to Claim 3, named 5-[2-chloro-4-(1-

T. Yoon et al.
09/788,315
Page 21 of 33

ethylpropoxy)phenyl]-3-ethyl-N-(1-ethylpropyl)-6-methoxypyrazin-2-amine.

92. (Withdrawn) A compound according to Claim 3, named 2-[2-chloro-4-(trifluoromethyl)phenyl]-3,6-diethyl-5-(1-ethylbutoxy)pyrazine.

93. (Withdrawn) A compound according to Claim 3, named N-(1-ethylpropyl)-5-[4-(1-fluoroethyl)-2,6-dimethoxyphenyl]-3-methoxy-6-methylpyrazin-2-amine.

94. (Withdrawn) A compound according to Claim 3, named 5-[2-chloro-4-(2-methoxyethoxy)phenyl]-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

95. (Withdrawn) A compound according to Claim 3, named 5-[4-(difluoromethoxy)-2-methoxyphenyl]-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

96. (Withdrawn) A compound according to Claim 3, named 5-{2-[(dimethylamino)methyl]-4-methoxyphenyl}-N-(1-ethylpropyl)-3-methoxy-6-methylpyrazin-2-amine.

97. (Withdrawn) A compound according to Claim 3, named (2-{5-[(1-ethylpropyl)amino]-6-methoxy-3-methylpyrazin-2-yl}-5-methoxyphenyl)methanol.

98. (Withdrawn) A compound according to Claim 3, named 5-[4-(difluoromethoxy)-2-methoxyphenyl]-3-ethyl-N-(1-ethylpropyl)-6-methoxypyrazin-2-amine.

99. (Withdrawn) A compound according to Claim 3, named 2-(2-chloro-4-propoxyphenyl)-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

100. (Withdrawn) A compound according to Claim 3, named 2-[2-chloro-4-(cyclopropylmethoxy)phenyl]-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

T. Yoon et al.
09/788,315
Page 22 of 33

101. (Withdrawn) A compound according to Claim 3, named 2-[2-chloro-4-(2-fluorooctoxy)phenyl]-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

102. (Withdrawn) A compound according to Claim 3, named N-(1-ethylpropyl)-5-(4-isopropoxy-2-methoxyphenyl)-3-methoxy-6-methylpyrazin-2-amine.

103. (Withdrawn) A compound according to Claim 3, named 2-(4-{[tert-butyl(dimethyl)silyl]oxy}-2-isopropoxyphenyl)-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

104. (Withdrawn) A compound according to Claim 3, named 2-(4-ethoxy-2-methoxyphenyl)-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

105. (Withdrawn) A compound according to Claim 3, named 2-(2,6-dimethoxyphenyl)-3,6-diethyl-5-(1-ethylbutoxy)pyrazine.

106. (Withdrawn) A compound according to Claim 3, named 4-{3-ethyl-5-[(1-ethylpropyl)amino]-6-methoxypyrazin-2-yl}-3-methoxyphenol.

107. (Withdrawn) A compound according to Claim 3, named 6-ethyl-N-(1-ethylpropyl)-5-(4-isopropoxy-2-methoxyphenyl)-3-methoxypyrazin-2-amine.

108. (Withdrawn) A compound according to Claim 3, named 4-[3,6-diethyl-5-(1-isopropyl-2-methylpropoxy)pyrazin-2-yl]-3-ethylphenol.

109. (Withdrawn) A compound according to Claim 3, named 3-ethyl-N-(1-ethylpropyl)-5-[4-fluoro-2-(trifluoromethyl)phenyl]-6-methoxypyrazin-2-amine.

110. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(1-isopropyl-2-methylpropoxy)-6-mesitylpyrazine.

T. Yoon et al.
09/788,315
Page 23 of 33

111. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(1-ethylpropoxy)-6-(4-methoxy-2-methylphenyl)pyrazine.

112. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-[4-methoxy-2-(trifluoromethoxy)phenyl]-6-(1-propylbutoxy)pyrazine.

113. (Withdrawn) A compound according to Claim 3, named 6-chloro-5-[2-methoxy-4-(trifluoromethoxy)phenyl]pyrazin-2-amine.

114. (Withdrawn) A compound according to Claim 3, named 2-(4-butoxy-2-chlorophenyl)-3,6-diethyl-5-(1-ethylbutoxy)pyrazine.

115. (Withdrawn) A compound according to Claim 3, named 3-bromo-N-(1-ethylpropyl)-6-methoxy-5-[2-methoxy-4-(trifluoromethoxy)phenyl]pyrazin-2-amine.

116. (Withdrawn) A compound according to Claim 3, named 2-(4-{{tert-butyl(dimethyl)silyl}oxy}-2-ethoxyphenyl)-3,6-diethyl-5-(1-ethylpropoxy)pyrazine.

117. (Withdrawn) A compound according to Claim 3, named 6-methoxy-5-[2-methoxy-4-(trifluoromethoxy)phenyl]pyrazin-2-ylformamide.

118. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(2-ethylbutyl)-6-[2-methoxy-4-(trifluoromethoxy)phenyl]pyrazine.

119. (Withdrawn) A compound according to Claim 3, named 2,5-diethyl-3-(1-ethylpropoxy)-6-(2-isopropoxy-4-propoxyphenyl)pyrazine.

120. (Withdrawn) A compound according to Claim 3, named 2-(sec-butylthio)-5-(2,4-dimethoxyphenyl)-3,6-diethylpyrazine.

T. Yoon et al.
09/788,315
Page 24 of 33

121. (Withdrawn) A compound according to Claim 3, named 5-(4-chloro-2,6-dimethoxyphenyl)-6-methoxypyrazin-2-amine.

122. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-methyl-4-chlorophenyl)pyrazin-2-amine.

123. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-methyl-4-fluorophenyl)pyrazin-2-amine.

124. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N,N-(2-methoxyethyl)-5-(2,4-dichlorophenyl)pyrazin-2-amine.

125. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-propyl-N-(cyclopropylmethyl)-5-(2,4-dichlorophenyl)pyrazin-2-amine.

126. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-2-(1-ethylpropoxy)-5-(2-methoxy-4,6-dimethylphenyl)pyrazine.

127. (Withdrawn) A compound according to Claim 3, named 3,6-dimethyl-2-(1-ethylpropoxy)-5-(2,4-dichlorophenyl)pyrazine.

128. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-2-(1-ethylpropoxy)-5-(2-hydroxy-4,6-dimethylphenyl)pyrazine.

129. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-2-(1-ethylpropoxy)-5-(2,4-dichlorophenyl)pyrazine.

130. (Withdrawn) A compound according to Claim 3, named 3,6-dimethyl-N-(1-methoxy-2-butyl)-5-(2,4-dimethoxyphenyl)pyrazin-2-amine.

T. Yoon et al.
09/788,315
Page 25 of 33

131-132. (Cancelled).

133. (Withdrawn) A compound according to Claim 3, named 3,6-dimethyl-N-(1-ethylpropyl)-5-(2-methyl-4-chlorophenyl)pyrazin-2-amine.

134. (Withdrawn) A compound according to Claim 3, named 3,6-dimethyl-N-(1-ethylpropyl)-5-(2-trifluoromethyl-4-dimethylaminophenyl)pyrazin-2-amine.

135. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-trifluoromethoxy-4-methoxyphenyl)pyrazin-2-amine.

136. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-methoxy-4-trifluoromethylphenyl)pyrazin-2-amine.

137. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-trifluoromethyl-4-methoxyphenyl)pyrazin-2-amine.

138. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-ethylpropyl)-5-(2-methoxy-4-methylphenyl)pyrazin-2-amine.

139. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-methoxy-2-butyl)-5-(2-chloro-4-dimethylaminophenyl)pyrazin-2-amine.

140. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-methylpropyl)-5-(2-chloro-4-dimethylaminophenyl)pyrazin-2-amine.

141. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(2-methylpropyl)-5-(2-chloro-4-dimethylaminophenyl)pyrazin-2-amine.

T. Yoon et al.
09/788,315
Page 26 of 33

142. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(2-phenylethyl)-5-(2-chloro-4-dimethylphenyl)pyrazin-2-amine.

143. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-propylbutyl)-5-(2-trifluoromethyl-4-dimethylaminophenyl) pyrazin-2-amine.

144. (Withdrawn) A compound according to Claim 3, named 3,6-diethyl-N-(1-methoxy-2-butyl)-5-(2-trifluoromethyl-4-dimethylaminophenyl) pyrazin-2-amine.

145. (Withdrawn) A compound according to Claim 3, named 2-(2,6-dimethoxy-4-chloro-phenyl)-6-ethyl-5-(1-ethylpropoxy)-3-methoxypyrazine.

146. (Withdrawn) A compound named 2-(2-methoxy-5-trifluoromethoxyphenyl)-3-ethyl-6-methylamino-5-(1-ethylpropoxy)-pyrazine.

147-153. (Cancelled).

154. (Withdrawn) A compound according to Claim 3, wherein in a standard in vitro sodium channel functional assay the compound does not show any statistically significant activity at the $p < 0.05$ level of significance.

155. (Withdrawn) A method of Claim 152 wherein the CNS disease or disorder is depression or a bipolar disorder.

156-161. (Cancelled).

162. (Withdrawn) A packaged pharmaceutical composition comprising a pharmaceutical composition of claim 149 in a container and instructions for using the composition to treat a patient suffering from an anxiety disorder, a stress-related disorder, or an eating disorder.